



**LUKE A. BRONIN**  
MAYOR

# CITY OF HARTFORD

DEPARTMENT OF DEVELOPMENT SERVICES  
Division of Licenses and Inspections  
260 Constitution Plaza 1<sup>st</sup> Floor  
Hartford, Connecticut 06103

Telephone: (860)757-9200  
Fax: (860)722-6333  
[www.hartfordct.gov](http://www.hartfordct.gov)



**I. CHARLES MATHEWS**  
DIRECTOR OF DEVELOPMENT  
SERVICES  
**ELDA SINANI**  
DIRECTOR OF LICENSES AND  
INSPECTIONS

## WORK EXEMPT FROM PERMITS

### 105.2 Scope and Administration, Work Exempt from Permits

Exemptions from permit requirements of this code shall not be deemed to grant authorization for any work to be done in any manner in violation of the provisions of this code or any other laws or ordinances of this jurisdiction. Permits shall not be required for the following:

#### **Building:**

1. One-story detached accessory structures used as tool and storage sheds, playhouse and similar uses, provided that the floor area is not greater than 120 square feet (11m<sup>2</sup>).
2. Fences not over 7 feet (2134 mm) high.
3. Oil derricks.
4. Retaining walls that are not over 4 feet (1219 mm) in height measured from the bottom of the footing to the top of the wall, unless supporting a surcharge of impounding class I, II or IIIA liquids.
5. Water tanks supported directly on grade if the capacity is not greater than 5,000 gallons (18,925 L) and the ratio of height to diameter or width is not greater than 2:1.
6. Sidewalks and driveways not more than 30 inches (762 mm) above adjacent grade, and not over any basement or story below and are not part of an accessible route.
7. Painting, papering, tiling, carpeting, cabinets, counter tops and similar finish work.
8. Temporary motion picture, television and theater stage sets and scenery.
9. Prefabricated swimming pools accessory to a group r-3 occupancy that are less than 24 inches (610 mm) deep, are not greater than 5,000 gallons (18,925 l) and are installed entirely above ground.
10. Shade cloth structures constructed for nursery or agricultural purposes, not including service systems.

11. Swings and other playground equipment accessory to detached one-and two-family dwellings.
12. Window awnings in group r-3 and u occupancies, supported by an exterior wall hat do not project more than 54 inches (1371 mm) from the exterior wall and do not required additional support.
13. Nonfixed and movable fixtures, cases, racks, counters and partitions not over 5 feet 9 inches (1753 mm) height.

#### **Electrical:**

1. Repairs and maintenance: Minor repair work, including the replacement of lamps or the connection of approved portable electrical equipment to approved permanently installed receptacles.
2. Radio and television transmitting stations: The provisions of this code shall not apply to electrical equipment used for radio and television transmissions, but do apply to equipment and wiring for a power supply and installations of towers and antennas.
3. Temporary testing systems: A permit shall not be required for the installation of any temporary system required for the testing or servicing of electrical equipment or apparatus.

#### **Mechanical:**

1. Portable heating appliances.
2. Portable ventilation equipment.
3. Portable cooling unit.
4. Steam, hot or chilled water piping within any heating or cooling equipment regulated by this code.
5. Replacement of any part that does not alter its approval or make it unsafe.
6. Portable evaporative cooler.
7. Self-contained refrigeration system containing 10 pounds (4.54 kg) or less of refrigerant and actuated by motors of 1 horsepower (0.75 kW) or less.

#### **Gas:**

1. Portable heating appliances.
2. Replacement of any minor part that does not alter approval of equipment or make such equipment unsafe.

## **Plumbing:**

1. The stopping of leaks in drains, water, soil, waster or vent pipe, provided, however, that if any concealed trap, drain pipe, water, soil, waste or vent pipe becomes defective and it becomes necessary to remove and replace the same with new material, suck work shall be considered as new work and a permit shall be obtained and inspection made as provided in this code.
2. The clearing of stoppages or the repairing of leaks in pipes, valves or fixtures and the removal and reinstallation of water closets, provided that such repairs involve or require the replacement or rearrangement of valves, pipes or fixtures.

### **[A] 105.2.1 Emergency Repairs**

When equipment replacements and repairs must be performed in an emergency situation, the permit application shall be submitted within the next working business day of the building official.

### **[A] 105.2.2 Public Service Agencies**

A permit shall not be required for the installation, alteration or repair of generation, transmission, distribution, metering or other related equipment that is under the ownership and control of public service agencies by established right.